


PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁷ : A62B 18/02, 18/08</p>	<p>A1</p>	<p>(11) International Publication Number: WO 00/53265 (43) International Publication Date: 14 September 2000 (14.09.00)</p>
<p>(21) International Application Number: PCT/US00/06164 (22) International Filing Date: 9 March 2000 (09.03.00) (30) Priority Data: MI99A000521 12 March 1999 (12.03.99) IT (71) Applicant (for all designated States except US): MALLINCK-RODT INC. [US/US]; 675 McDonnell Boulevard, P.O. Box 5840, St. Louis, MO 63134 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): FINI, Massimo [IT/IT]; Via P. Picasso, 31, I-41037 Mirandola (IT). BERGAM-ASCHI, Paolo [IT/IT]; Via Fratelli Cervi, 12, I-41033 Concordia (IT). NAVA, Stefano [IT/IT]; Pzza Duomo, 7/A, I-26013 Crema (IT). (74) Agents: LIMPUS, Lawrence, L. et al.; 675 McDonnell Boulevard, P.O. Box 5840, St. Louis, MO 63134 (US).</p>		<p>(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</p>
<p>(54) Title: FACE OR NOSE MASK FOR NON-INVASIVE VENTILATION OF PATIENTS IN GENERAL</p> <p>(57) Abstract</p> <p>This invention is a face or nose mask (1) comprising a mask body (2) with an inlet (3). The mask body (2) having a sealing element with a first chamber (10), and a second chamber (11) which can be connected by connectors (12, 13) to a source of pressurized air.</p> 		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

FACE OR NOSE MASK FOR NON-INVASIVE VENTILATION OF PATIENTS IN GENERAL

The present invention relates to a face or nose mask for non-invasive ventilation of patients in general.

5 It is known that the main problem in long-term ventilation performed by means of a mask is the tolerability of the mask by the patient.

One of the most unpleasant and harmful effects arises from the compression of the skin that is produced by the sealing element provided in the perimetric region of the mask, which is pressed against the user's face;
10 this effect is particularly damaging at the upper nasal region.

The pressure applied by the mask in fact reduces blood flow in the affected part of the skin and in the long term causes pain and sores may form in the region.

In order to try to at least partially solve this problem, masks have already
15 been provided in which the sealing element is formed in practice by an air-filled chamber or air cushion which, in order to reduce the period of contact with the skin, is in practice deflated at least at the upper part of the nasal septum during expiration, a step in which there is no need to provide a seal since the patient is expelling air. The chamber is then instantly reinflated
20 during inspiration, thus forming a seal again and in practice reducing the time of contact between the skin and the inflatable chamber.

Also this solution has not proved to be particularly effective, since the inflation and deflation rate is closely dependent on the ratio between the expiration phase and the inspiration phase and because a relatively high
25 residual pressure always remains and is applied by the mask to the skin.

The aim of the present invention is to eliminate the above-noted drawbacks, by providing a face or nose mask for non-invasive ventilation of patients in general which allows to reduce the time for which the pressure produced by the sealing element of the mask is applied, so that the above-
30 mentioned problems do not occur since blood flow in the affected skin

portion is possible at all times.

Within the scope of this aim, a particular object of the present invention is to provide a face or nose mask in which the perfect seal of the mask with respect to the outside is ensured at all times but the region where pressure is applied to the skin changes continuously.

Another object of the present invention is to provide a mask in which the system for inflating the sealing element is independent of the ventilation system, consequently allowing a wide range of adjustment for the pressure values used.

Another object of the present invention is to provide a mask which, by way of its particular constructive characteristics, is capable of giving the greatest assurances of reliability and safety in use.

Another object of the present invention is to provide a face or nose mask for non-invasive ventilation of patients in general which can be easily obtained starting from commonly commercially available elements and materials and is also competitive from a purely economical point of view.

This aim, these objects and others which will become apparent hereinafter are achieved by a face or nose mask for non-invasive ventilation of patients in general, according to the invention, which comprises a mask body provided with an inlet for connection to a ventilation apparatus and perimetrically provided with a sealing element for application to the face of a patient, characterized in that said sealing element comprises at least one first chamber and at least one second chamber which can be connected separately to a source of pressurized air.

Further characteristics and advantages of the present invention will become apparent from the following detailed description of a preferred but not exclusive embodiment of a face or nose mask for non-invasive ventilation of patients in general, illustrated only by way of non-limitative example in the accompanying drawings, wherein:

Figure 1 is a partially sectional schematic view of the mask according to

the invention with the seal provided by one chamber; and

Figure 2 is a view of the mask with the seal produced by the other chamber.

With reference to the above figures, the face or nose mask for non-invasive ventilation of patients in general, according to the invention, generally designated by the reference numeral 1, comprises a mask body 2 which has the conventional configuration of a face or nose mask and is provided with an inlet 3 for connection, by means of a hose 4, to a ventilation apparatus.

10 In the perimetric region, the mask has a flange 5 at which the sealing element for application to the face of the patient is provided.

The particularity of the invention is constituted by the fact that the sealing element is provided by at least one first chamber 10 and by at least one second chamber 11 which are advantageously arranged side by side, the first chamber being arranged outside with respect to the second chamber.

The chambers have separate connections to a source of pressurized air, and in particular there is provided a first connector 12 for the first chamber 10 and a second connector 13 for the second chamber 11; such connectors are connected to an inflation device which is constituted for example by extremely compact micropumps which can be actuated sequentially so as to release the pressure in one chamber and inflate the other chamber, thus ensuring the seal.

The inflation and deflation rate can be adjusted in any manner, since it is independent of the ventilator of the ventilation system.

25 In practice it is possible to alternate inflation and deflation with a period of a few seconds, consequently having the advantage that the skin is affected in the same region for a period which is substantially halved, but most of all with the advantage that in practice blood flow is never interrupted or hindered, thus preventing the occurrence of pain and dangerous sores.

In practice, the system adopted consists in removing pressure from one chamber and simultaneously restoring pressure in the other chamber, so that the seal is ensured at all times but the region where pressure is applied to the skin changes.

5 Advantageously, the chambers have a closed perimeter, but from the conceptual point of view there is no difference if the chambers 10, 11 affect only portions of the face and in any case the regions that are more severely affected by pain or sores, depending on the pressure applied in order to provide the seal.

10 From the above description it is thus evident that the invention achieves the intended aim and objects, and in particular the fact is stressed that a face mask is provided which has an inflatable sealing element which is entirely autonomous and independent of the ventilator used for ventilation, thus allowing to adjust the pressure inside the individual chambers independently
15 of each other and to provide alternating deflation and inflation of the chambers at a rate which can be adjusted at will in view of the fact that the chambers are separately connected to a source of pressurized air, for example constituted by micropumps.

20 The invention thus conceived is susceptible of numerous modifications and variations, all of which are within the scope of the inventive concept.

 All the details may also be replaced with other technically equivalent elements.

 In practice, the materials employed, as well as the contingent shapes and the dimensions, may be any according to requirements.

CLAIMS



1. A face or nose mask for non-invasive ventilation of patients in general, comprising a mask body provided with an inlet for connection to a ventilation apparatus and perimetrically provided with a sealing element for
5 application to the face of a patient, characterized in that said sealing element comprises at least one first chamber and at least one second chamber which can be connected separately to a source of pressurized air.

2. The mask according to claim 1, characterized in that said first and second chambers have a closed perimeter.

10 3. The mask according to the preceding claims, characterized in that said first and second chambers lie side by side, one inside the other.

4. The mask according to one or more of the preceding claims, characterized in that said first and second chambers are alternately connected to said pressurized air source.

15 5. The mask according to one or more of the preceding claims, characterized in that said pressurized air source is constituted by micropumps, each of which is connected to the corresponding chamber.



INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/06164

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : A62B 18/02, 08

US CL : 128/206.24, 206.26

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 128/206.24, 206.26

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WEST 2.0

Search Terms: chamber and sealing

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,660,174 A (JACOBELLI) 26 August 1997, entire document.	1-5
A	US 4,971,051 A (TOFFOLON) 20 November 1990, entire document.	1-5
A	US 4,799,477 A (LEWIS) 24 January 1989, entire document.	1-5

☐ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

13 JUNE 2000

Date of mailing of the international search report

20 JUL 2000

 Name and mailing address of the ISA/US
 Commissioner of Patents and Trademarks
 Box PCT
 Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

MITAL B. PATEL

Telephone No. (703) 306-5444